Director, Doyle Childers Land Reclamation Program Dept. of Natural Resources Jefferson City, Mo. 65102



Stewart/Davis 11045 Pleasant Heights Bloomsdale, Mo. 63627

3/21/06

Page 1 of 3 (Pg.(5) 4-25)

Dear Director Childers,

In regard to the proposed limestone quarry with an approximate location only 1,000 feet from the Bloomsdale Elementary School, Ste. Genevieve County Section 03, Township 38N, Range 7E: Let it be known that we <u>RESOUNDINGLY OPPOSE</u> such a quarry at this site. The <u>PREVAILING</u> concerns ARE HEALTH, SAFETY, AND LIVELIHOODS of the school children, parents, faculty, and workers; as well as the Bloomsdale Community!

There is a forefront issue of the application as submitted being processed as INCOMPLETE, pursuant to CSR 40-10.020, Permit Application Requirements, although 'deemed complete' for a <u>SECOND TIME</u> to publish 'public notifications'. It is certainly a quandary as to HOW this application is <u>still</u> being considered with such pertinent, and required information omitted. The RECORED documentation was submitted to several MDNR representatives personally on 1-30-06 <u>prior</u> to the second 'public notice period! (RE: pages \(\frac{4}{-12}\))

Pursuant to the Code of State Regulations, Rules for Department of Natural Resources, Division 40, Chapter 10, 10CSR 40-10.020 Permit Application Requirements, (2) as required by section 444.772, RSMo, an applicant

SHALL PROVIDE A <u>COMPLETE</u> APPLICATION PACKAGE SUBMITTED WHICH INCLUDES THE FOLLOWING: ... (B) (IN PART) THE AUTHORIZED WRITTEN CONSENT OF THE APPLICANT AND **ANY OTHER PERSONS** TO GRANT ACCESS... TO THE AREA OF LAND AFFECTED UNDER THE APPLICATION OR PERMIT...

Whereas the applicant NEGLECTED to obtain the required authorized written consent of the FOUR (4) private property owners from whose private properties comprise the PRIVATE ROADWAY, which is indicated as the proposed quarry's access (RE: pages), and the same private roadway being recorded in the Recorder of Deeds Office, Ste. Genevieve County, which states as 'EXHIBIT B' (IN PART) "NOT FOR ANY COMMERCIAL USE..."; Hence, the application as submitted whereas attests by signed and notarized affidavit is INCOMPLETE and NONCOMPLIANT to the requirements as stated in 10CRS 40-10.020, (2) & (B).

The ONLY person who signed the legal affidavit, Chris Carron, is <u>NOT</u> an owner of <u>ANY</u> property which <u>comprises</u> the <u>private</u> roadway, and has <u>NO</u> authority to <u>supersede</u> the actual property owners, <u>NOR</u> to <u>subjugate</u> the Ste. Genevieve County Recorder of Deeds. This is a PRIVATE ROADWAY INTENDED FOR RESIDENTIAL USE!

Therefore the consent of access has <u>NOT</u> been granted, and in adhering to and upholding the Code of State Regulations, pursuant to section 444.773 RSMo, CSR 40-10.020, we VEHEMENTLY request your denial of permit to this quarry site.

If after full awareness of the inaccessibility of the <u>private</u> roadway as consent has NOT been granted by <u>all</u> persons, there may still be consideration to permit this quarry, we hereby request a HEARING to address the noncompliance of 10CSR 40-10.020, as well as the aforementioned PREVAILING concerns of:

#1) A. HEALTH: (RE: pages /3-33) It is documented that SILICA DUST: a natural component of limestone, is a known human carcinogen, and causes chronic lung silicosis of the lungs, i.e., LONG TERM EXPOSURE TO LOW CONCENTRATIONS OF SILICA DUST. It is also documented, dated 1-28-05, by the Missouri Dept. of Labor and Industrial Relations that an "ALARMING" 49 MINES are known to be "OVEREXPOSED" with SILICA DUST! Approximately ONLY 1000 feet away there are elementary school CHILDREN, parents, facility, and workers that will be ADVERSELY affected by this for many years, as well as the diversity of the immediate residents from infants to the elderly, all with health

Director, Childers



concerns! With the already "ALARMING" 49 mines "OVEREXPOSED" with Silica Dust there can be NO assurance that this proposed quarry won't be HAVOC to the school and the community!

There are several <u>immediate</u> residents who <u>work</u> 7-day swing shifts, or midnights, whereas it is <u>imperative</u> to sleep through the <u>day</u> hours to prevent 'SLEEP DEPRIVATION' affecting not <u>only</u> health issues, but most <u>certainly</u> those livelihoods!

- #1) B. We request: an Etiology of Silicosis <u>specific</u> to Missouri; an <u>Epidemiologic Study</u>, to include, but not limited to <u>all</u> aspects and effects to the elementary school children, parents, faculty, and workers, and general population of the full area to be <u>adversely</u> affected by this quarry's approval (Ages, current health, family histories, prevalent risk factors, etc.); <u>SLEEP DEPRIVATION STUDY</u>.
- #2) A. <u>SAFETY:</u> (Re: previous pages 4-12), & pages lake maps) As previously discussed in-depth that the roadway 'intended' for access to the proposed quarry site is in fact a <u>private</u> roadway comprised of <u>private</u> properties, and which is <u>explicitly</u> stated as "NOT FOR ANY COMMERCIALUSE...", AND consent has <u>NOT</u> been granted.

The only other 'perceived' access will be <u>IMMEDIATELY</u> in front of the Bloomsdale Elementary School by accessing through Alexis Carron's property, who IS Chris Carron's father. This will be a direct safety <u>HAZARD</u> to school buses <u>full</u> of children, and <u>all</u> that the school entails with the constant and <u>conflicting</u> daily <u>loaded</u> trucks, heavy equipment, and <u>DEBRIS!</u> These same <u>loaded</u> trucks, & heavy equipment with the debris will travel **through** Bloomsdale on the 2-lane US-61 highway directly in <u>front</u> of numerous homes, the Bloomsdale Fire Dept., and businesses including a Daycare Center!

Another PERTINENT aspect to <u>SAFETY</u> is the <u>UNREENFORCED</u> approximate 5-acre lake, which is depicted on the maps. This lake is, <u>again</u>, immediately in <u>front</u> of the elementary school with residential properties adjacent to its' <u>UNREENFORCED</u> embankment! With full knowledge that the blasting will entail a considerable part of such a quarry operation, <u>compounded</u> by the activity of the heavily loaded trucks, the short-sided, low-impact <u>EARTHEN</u> embankment will undoubtly <u>RUPTURE</u> rendering another 'Taum Sauk' scenario! With the <u>exception</u> that the devastation will be the Bloomsdale Elementary School, & <u>everyone</u> it entails, the residents, and US-61 highway!

The <u>relevant</u> factor of blasting is not <u>only</u> an immense concern of <u>safety</u>, but <u>health</u> and <u>livelihoods</u> as well. Which is <u>somewhat</u> difficult to express one issue separate from the others! When the blasts occur the effects of the <u>extensive</u> Silica Dust, noise, and concussions will be detrimental in <u>all</u> aspects of the issues to every entity of the area!!

- #2) B. We request: a <u>FULL TRANSPORTATION ANALYSIS</u> include, but not limited to point of INGRESS/EGRESS; MSDS (Material Safety Data Sheet) with types, size, and estimate weight of loads to be transported; <u>SITE ANALYSIS</u>, to include, but not limited to, <u>PERK TEST</u> with <u>SATURATION ANALYSIS</u>, <u>WATER HOLDING CAPACITIES</u>; <u>SUBJACENT SUPPORTIVE STUDY</u> to include, but limited to the <u>blast effects</u> to the <u>unenforced</u> lake and <u>all</u> adjacent properties; <u>WATER DEPLETION ANALYSIS</u> with specific data to the effects to the watershed and the probability of subsidence of adjacent properties. All to be conducted to the standards, requirements, and guidelines under the <u>Surface Mining Control and Reclamation Act</u> ("SMCRA"), which is an 'Act of nationwide force, intended to establish a nationwide program to <u>protect</u> society and the environment from the adverse effects of strip mining!
- #3) A. LIVELIHOOD, by definition: A means of MAINTAINING LIFE, LIVING. It is BEYOND any realm of the imagination that the concerns of HEALTH and SAFETY are not considered relevant to, and consistent with LIVELIHOOD! There is an entire elementary school of children and everyone it entails, as well as innumerable households and businesses throughout the community that will have livelihoods ADVERSELY affected during the course of the proposed quarry's operations!

There are minimum of 12 households in the <u>immediate</u> area whose residents are either 'stay -at -home', maintain at least part of their <u>work</u> from their homes, and/or work 7-day swing, or midnight shifts; whereas in that case it is IMPERATIVE to sleep during 'NORMAL OPERATION' hours! With any of the

Director, Childers

RECEIVED

Stewart/Davis

RECLAMATION COMMISSION

Aforementioned, from the school children doing their <u>WORK</u> to the individual households maintaining their '<u>LIVING</u>', it is <u>INCONCEIVABLE</u> that a continuum of <u>LIVELIHOODS</u> will be possible <u>IF</u> such a quarry operation is permitted at <u>this</u> site! There is <u>NOT</u> 'one' aspect of <u>Living</u> that <u>won't</u> be <u>ADVERSELY</u> affected!!

Also, <u>contrary</u> to the 'opinions' of some that the concerns of the <u>EFFECTS</u> to the area and property values <u>overall</u> is considered 'NIMBY', the fact is: IF approved approximately 1000 <u>feet</u> from the <u>Public Elementary School</u> it be NECESSITY of ADVERSITY to provide 'Full Disclosure' of this quarry to <u>ALL</u> real estate prospective <u>throughout</u> the community! Disclosure of such pertinent information as the extreme Silica Dust, noise, and hazards of heavy truck traffic will have a <u>profound economical devastation</u> to the areas Realty Market, and the <u>many</u> people whose 'livelihoods' are dependant upon one of the prime INDUSTRIES in the area: REAL ESTATE and THOSE DETERMINANT VALUES!!

The inference that DETRIMENTAL AFFECTS to the single largest INVESTMENT, i.e., our HOMES, does not affect 'LIVELIHOODS' is absurdly ignorant! The HOME is the essential basis for LIVELIHOOD! The realty market of the entire community will be ADVERSELY affected, with certain properties ultimately being UNMARKETABLE, therefore essentially WORTHLESS! This is NOT 'NIMBY'!! This IS: ADVERSE LAND USE, ECONOMICAL OBSOLENSE, AND INCURABLE DEPRECIATION!!!

#3) B. We request: A <u>Public Report</u> entailing the effects of such a proposed quarry to the immediate area to include, but not limited to <u>FULL ENVIRONMENTAL IMPACT REPORT</u>, <u>ENVIRONMENTAL DEFICIENCY REPORT</u> to include, but not limited to <u>full improved value</u> of <u>all properties</u> in the area to be <u>ADVERSELY</u> affected by the <u>procuring cause</u> of this quarry operation/heavy industry to be approximately 1000 feet from the <u>Public Elementary School And</u> effects to the school in conjunction with an <u>INCURABLE DEPRECIATION REPORT</u> to include, but not limited to <u>potential</u> and <u>probable</u> <u>CONSEQUENTIAL DAMAGES</u> and <u>depletion</u> of real estate <u>VALUES</u> in the area as a <u>direct result</u> of such heavy industry affecting the area's REALTY INDUSTRY.

Jery h Stewart Sh. 3/21/06

Lay 1. Stewart 3/21/06

Susan Stewart 3/21/06

3/21/06

BK 0844PG 122

GENERAL WARRANTY DEED Addiyidual

MED. PRE 3 2400

69867

This Deed, Made and entered into this 7th

day of

IN COMMISSION OF PARTY OF PARTY OF PARTY OF PARTY OF PARTY OF THE FIRST PART, and

RICK ALFORD and KARI ALFORD, husband and wife

County

of Ste: Genevieve State of Missouri

NORMAN S. BELL AND JANET S. BELL, Husband and wife 6092 Highway 61, Blooms Dale, MD 63627 **آنا** ,

of the County

51E. οf (SEMERICAR

State of Missouri

party or parties of the second part.

WITNESSETH, that the said party or parties of the first part, for and in consideration of the sum of One Dollar and other valuable considerations paid by the said party or panies of the second party, the receipt of which is hereby acknowledged, does or do by these presents GRANT, BARGAIN AND SELL, CONVEY AND CONFIRM unto the said party or parties of the second part, the following described Real Estate, situated in the County of Ste. Genevieve and State of Missouri, to-wit:

Part of a tract as recorded in Book 799, Page 107 of the Ste Genevieve County Dead Records and being part of the North half of Section 3, Township 38 North, Range 7 East of the Fifth Principal Meridian, Ste. Genevieve County, Missouri, being more particularly described as follows: Commencing as a point of reference an iron pin the South quarter corner of Section 34, Township 39 North; thence along the line between said Township South 84 degrees 39 minutes 20 seconds East 100.00 feet to an iron pin; Thence South 60.00 feet to an iron pin the point of beginning; thence South 20 degrees 20 minutes 21 seconds West 82.51 feet to an iron pin; thence South 77 degrees 19 minutes 22 seconds West 303.80 feet to an iron pin on the Easterly right-of-way line of United States Highway "61" on a curve concave to the Rast having a radius of 2,814.90 feet to which a radial line bears South 67 degrees 31 minutes 05 seconds West; thence Mortherly along said curve through a central angle of 01 degree 44 minutes 36 seconds an arc distance of 85.65 feet to an iron pin; thence leaving said right-of-way line North 55 degrees 08 minutes 01 second East 116.17 feet to an iron pin; thence North 73 degrees 18 minutes 59 seconds East 59.58 feet to an iron pin; thence South 84 degrees 39 minutes 20 seconds East 205.12 feet to the point of beginning.

SEE ATTACHED EXHIBIT "A"

Subject to Building Lines, Covenants, Easements and Restrictions of record.

PARCEL NO. 05-2.0-003-00-0002-00 SUBJECT TO ROAD MAINTENANCE AGREEMENT AND RESTRICTIONS SEE ATTACHED EXHIBIT "B"

TO HAVE AND TO HOLD the same, together with all rights and appurtenances to the same belonging, unto the said party or parties of the second part, and to the heirs and assigns of such party or parties forever.

The said party or parties of the first part hereby covenanting that said party or parties and the heirs, executors, administrators and assigns of such party or parties, shall and will WARRANT AND DEFEND the title to the premises unto the said party or parties of the second part, and to the heirs and assigns of such party or parties forever, against the lawful claims of all persons whomsoever, excepting, however, the general taxes for the calendar year 1999 and thereafter, and special taxes becoming a lien after the date of this deed.

IN WITNESS WHEREOF, the said party or parties of the first part has or have hereunto set their hand or hands the day and year first above written.

> FORD ALFORD

STATE OF MISSOURI On this 7th day of May , 1999, before me personally appeared County of Jefferson RICK ALFORD and KARI ALFORD, husband and wife

to me known to be the person or persons described in and who executed the foregoing instrument, and acknowledged that thev executed the same as their free act and deed.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my official seal in County and State aforesaid, the day and year first above written.

My term expires

LORIA HAHR Notary Public - Notary Seal STATE OF MISSOURI JEFFERSON COUNTY MY COMMISSION EXP. APR. 9,2001

Notary Public

The following 30 foot wide roadway and reserved by the Grantors, their heirs and/or assigns row.

A 30 feet wide strip of land being part of a tract as recorded in Book 799, Page 1075C, MISSOURA For the Ste. Genevieve County deed records and being part of the North half of Section AND COMMISSION COMMISSION

Township 39 North, thence along the line between said Townships South 84 degrees 39 minutes 20 seconds East 100.00 feet to an iron pin; thence South 60.00 feet to an iron pin; thence South 20 degrees 20 minutes 21 seconds West 46.73 feet to the point; of beginning; thence South 20 degrees 20 minutes 21 seconds West 35.78 feet to an iron pin; thence South 77 degrees 19 minutes 22 seconds West 303.80 feet to an iron pin on the Easterly right-of-way line of United States Highway "61" on a curve concave to the East having a radius of 2,814.90 feet to which a radial line bears South 67 degrees 31 minutes 05 seconds West; thence Northerly along said curve through a central angle of 00 degrees 37 minutes 09 seconds an arc distance of 30.42 feet; thence leaving said right-of-way line North 77 degrees 19 minutes 22 seconds East 328.21 feet to the point of beginning and containing 0.22 acres.

1.

-		EXHIBIT "R	P RK 0 8	44PG124 ,	
·	\$16 - E		ECEIVED		
	• ;	11/4 ₁	R 2 3 2000		
	• • • •	MECLAMATIC	OVAI LAND		
	· • • • • • • • • • • • • • • • • • • •	ROAD MAINTEN	2006 Ouri Land On Commission Ange Agreeme	NTT: .	
Ric	ok Alford and I	Kari Alford (Sollers) t	o hereby agree to in	stall a road on Trac	t III of Sales
QQ		and Norman S. Bell a	nd Janet Bell (Buye	rs), Dated <u>A··</u>	_ day or
		a Seliers and Buers ag L. This agreement is t			ared drive
	Sae	L	Kari	Clepan	2
Rick Alfor	rd	1	Kari Alford		<u> </u>
X/2	7	SLu	e Oa	et 28	Bear
Norman S.	. Bell		Janet Boll		
		•	- 4		
107 70 7	TIE 501 1 01 THE		1001		

SUBJECT TO THE FOLLOWING RESTRICTIONS:

NOT TO BE USED FOR ANY COMMERCIAL USE, NO MOBILE OF MODULAR HOMES TO BE PLACED ON PROPERTY, NOR AUTOMOBILES THAT ARE NOT LICENSED OR ROAD WORTHY.

1685

FILED FOR RECORD of 8 o'clock 44 min A m.

MAY 1 3 1999

DAVID GEGG, Recorder Ste. Genevieve County, MO



STATE OF MISSOURI County of Ste. Genevieve


I hereby certify that this instrument was FILED FOR RECORD at the date and time shown hereon and is recorded in Page_ Book 844

DAVID GEGG Recorder of Deeds

Deputy M. ADIGNS & SON, INC - CLINTON, MO A-2064

#misc

8K0907PG001



MISSOURI LAND

THIS DEED, Made and entered into this 22 day of November, 2000, by and between

Rick G. Alford and Kari L. Alford, his wife

of the County of Ste. Genevieve, State of Missouri, parties of the first part, and

Norman S. Bell and Janet S. Bell, his wife

of the County of Ste. Genevieve, State of Missouri, parties of the second part.

Norman S. Bell and Janet S. Bell, his wife

Address: 6090 Hwy 61, Bloomsdale MO 63627

County of Ste. Genevieve, State of Missouri, parties of the second part.

WITNESSETH, that the said parties of the first part, for and in consideration of the sum of One Doftar and other valuable considerations paid by the said parties of the second part, the receipt of which is hereby acknowledged, do by these presents REMISE, RELEASE AND FOREVER QUIT CLAIM unto the said parties of the second part, the following described Real Estate situated in the County of Ste. Genevieve and State of Missouri, to-wit:

A 30 feet wide roadway easement being part of a tract as recorded in Book 799, Page 107 of the Ste. Genevieve County Deed Records and being part of the North half of Section 3, Township 39 North, Range 7 East of the Fifth Principal Meridian, Ste. Genevieve County, Missouri, being more particularly described as follows: Commencing at a point of reference an iron pin the South quarter corner of Section 34, Township 39 North; thence along the line between said Townships South 84 degrees 39 minutes 20 seconds East 100.00 feet to an iron pin; thence South 60,00 feet to an iron pin; thence South 20 degrees 20 minutes 21 seconds West 46.73 feet to the point of beginning; thence South 20 degrees 20 minutes 21 seconds West 35.78 feet to an iron pin: thence South 77 degrees 19 minutes 22 seconds West 303,80 feet to an iron pin on the Easterly right-of-way line of United States Highway "61" on a curve concave to the East having a radius of 2,814.90 feet to which a radial line bears South 67 degrees 31 minutes 05 seconds West; thence Northerly along said curve through a central angle of 00 degrees 37 minutes 09 seconds an arc distance of 30.42 feet; thence leaving said right-of-way line North 77 degrees 19 minutes 22 seconds East 328,31 feet to the point of beginning and containing 0.22

The purpose of this Ouit Claim Deed is to release all rights in and to a 30 foot wide road easement previously reserved in Warranty Deed dated May 7, 1999 and recorded in Book 0844, Page 122. Easement for utilities reserved therein remains.

TO HAVE AND TO HOLD the same, together with all rights and appurtenances to the same belonging, unto the said parties of the second part, and to the heirs and assigns of such parties forever. So that neither the said parties of the first part, nor their heirs, nor any other person or persons for them or in their names or behalf, shall or will hereafter claim or demand any right or title to the aforesaid premises, or any part thereof, but they and every one of them shall, by these presents, be excluded and forever barred.

IN WITNESS WHEREOF, the said parties of the first part have hereunto set their hands the day and year first above written.

Rick G. Alford

EGAL NOTICE

Public Notice Of Surface Mining Application Permit Expansion

Fischer Quarry and Hauling LLC, 25501 State Route Z, St. Mary, MO, 63673, has applied to expand their permit from the Department of Natural Resources, Land Reclamation Commission, to mine limestone on 24 acre(s) of land at a new location in Ste. Genevieve County, Section(s) 03, Township(s) 38N, Range(s) 7E. This(ese) operation(s) will be conducted during the approximate dates of March 31, 2006 and October 1, 2055.

Written comments or a request for a hearing and/or an informal public meeting may be made by any person with a direct, personal interest in one or more of the factors that the Missouri Land Reclamation Commission may consider in issuing a permit as required by The Land Reclamation Act, sections 444.760 to 444.790. RSMo, or whose health, safety or livelihood will be unduly impaired by the issuance of a permit regarding items such as permitting and reclamation requirements, crosion and siltation control, excavations posing a threat to public safety, or protection of public road rights-of-way. If a hearing is held the Commission has the ability to consider if the applicant has demonstrated a pattern of noncompliance with other environmental protection laws and regulations administered by the Missouri Department of Natural Resources.

Send written comments to: Director, Land Reclamation Program, Department of Natural Resources, P.O. Box 176, Jefferson City, MO 65102.

All comments and written requests for hearings and/or public meetings must be submitted in writing to the Director's office within fifteen (15) days of the last date of publication of this notice. 3-15

Wed, MM.1, '06

PUBLIC NOTICE

Private Roadway Easement .

Subject to all prior restrictions, reservations, and encumbrances now, and forever, of record: Dated May 7, 1999 and recorded May 13, 1999 in Book No. 844, at Page(s) 122, 123-Exhibit "A", and Page 124-Exhibit "B", which more specifically states restrictions: [In Part] 'Not to be used for any commercial use. . . ', in the office of the Recorder of Deeds. Stc. Genevieve County, Missouri, and including Quit Claim Deed of record: Dated November 22, 2000, and recorded November 27, 2000, in Book 907, at Page 001, (as a part of, and duly noted by the Recorder of Deeds in Book 844, at Page 122), whereas did 'remise, release, and forever Quit Claim' roadway easement: Let it be known to all persons, and parties, that the aforementioned private roadway easement, known as Pleasant Heights Dr., is, and forever shall be a private and residential roadway intended for the explicit use, and quiet enjoyment by the immediate residents of said roadway, and which is posted as, 'Private Road-no thru traffic; and shall be, 'Private Road/Private Propcrty-No Trespassing'-Paid by Kay Stewart for residents of Pleasant Heights Drive.

3-8

ATTENTION!! QUARRY TOO CLOSE TO THE BLOOMSDALE **ELEMENTARY SCHOOL:**

'Public Notice/Mining Permit' for Section 3, Township 38N, Range 7E, will be approximately only 1000 feet from the elementary school unless we speak up for the children. Future health, safety, and livelihoods could be affected for many years, IF approved!

Of the many quarries proposed each year, must this 'ONE' be permitted so close to our children? Please express your concerns and oppose this approval by writing to: Director, Land Reclamation Program, Dept. of Natural Resources, P.O. Box 176, Jefferson City, MO 65102; Please sign the petition to oppose this. For more information call Kay, 483-2656/ Barbara, 483-9797/jormbell@direcway.com

(Public meeting may be allowed at future time)

On behalf of the children let's do the right thing. PAID FOR BY KAY STEWART FOR CONCERNED CITIZENS FOR THE CHILDREN

(To get your name added to the following list there will be a charge of 75 cents per week)

No Hunting or Trespassing on the following property at any time. Violators will be prosecuted.

Angela & Kevin Bieller Property 3-29 Bennie E. Bahr property 5/31/06 Jean Feld Rissover 10/31/06 Anne M. Field Farm 2/9/06 Jeanne A. Kaminski 9/30/06 10/27/06 **Autry Property** Grosbauer Family Property 6/14/06

Pleasant Heights Dr. & Private

Properties 3-1-07

EACH NOTICE IS PUBLISHED COINCIDINGLY IN THE SAME PAPER AND TIME. 'NO HUNTING OR TRESPASSING SHALL CONTINUE INDEFINITELY.

GENERAL SERVICES ADMINISTRATION



Silicosis

DEPARTMENT OF LABOR & INDUSTRIAL RELATION

DOLIR	Partners with Misson	ri's Workplace	?	
	Search:		P.S.	
!	Division of Labor Standa	ards	MAR 23 20	
	Mine Safety and Health - Train	ing RECU	MISSOURI COOF	
	OPTION AL FORM 99 (7-80)		COMMISSION	
Silicosis	FAX TRANSMI	TTAL	/ of pages ►	
COURSE/CLASS DESCRIPT	ON To	From	From	
COURSE/CLASS DESCRIPT	Gept. Digency	Phone #		
Issue 3:Silicosis Prevention	Fax 8	Fax #	Fex f	

DESCRIPTION OF THE ISSUE:

Silicosis is a disease that afflicts the uninformed. It is sometimes a long term process from exposure to ** critical lung disease. This is the reason it is so important that we present the issues to the mining industry. We must stop the exposure in its acute stages before our miners suffer its effects in time. The winumber of mines that are overexposed in silica dust samples is alarming. We feel that with prevention and awareness programs we will offer, we can effectively stop Silicosis before the miners in the state begin to suffer its long term effects.

NSN 7540_01_317_7368

PROPOSED SOLUTION:

We have the perfect vehicle to inform the miner about silicosis and how to prevent its spread. Annual Refresher, New Miner and seminars on the subject will reach the mines and miners that are not targeted as high exposure mines. We will have to develop a special emphasis program aimed at the 49 mines that have higher exposure levels as indicated by the statistics provided. With the help of the Missouri Limestone Producers Association and the Southeast Missouri Mine Safety Association we will be able to reach the 49 mines targeted as high exposure.

Informational handouts and media releases from the Missouri Department of Labor and Industrial Relations will reach a large number of employers explaining the training programs offered. These media releases are targeted at the Mining Industry. At every speaking engagement by the Division of Labor Standards Director and the Safety Program Managers the subject will be addressed. Handouts about the programs will be presented to the mine employers and safety organizations.

GOAL:

We will train the miner in the identification, hazards, effects and prevention of silicosis.

Objective:

The state has 49 mines that have been sampled and found to be above the PEL in concentrations of silica **X** dust at their operation. This impacts 1,244 miners we know of. The mines that are not overexposed will be targeted to further reduce their exposure through proper prevention techniques and site preparation.

We will present Silicosis Prevention classes to the Individual mine site. We will present seminars to the

issouri Department of Labor and Industrial Relations

rage Z UI 4

* Alssouri Limestone Producers Association and other mine safety and health organizations. We will conduct und table discussions at the Southeast Missouri Mine Safety Association Spring Seminar. We will share ideos, powerpoint presentations and classroom materials with the mine, miner, union and other state rancees. Through safety meetings we will urge the miner to use proper precautions when working around reas of exposure.

jutline:

- A. What is silica, and what is silicosis
 - 1. Where is silica found and percentages
 - a. Most common element on eartin
 - b. Quartzite, almost pure
 - c. Sandstone, 20-40%
 - d. Granite, 20-50%
 - € e. Limestone, 4-20%
 - 2. Particle size
 - a. 3 to 5 microns most dangerous
 - b. 10 microns or greater are too large to be taken into the lung.
- B. Exposure levels
 - 1. Permissible Exposure Level
 - 2. Causation
 - What constitutes exposure
 - a. Concentration
- b. Duration ** 4. If you can see a cloud of dust you may have a possible source of exposure.
 - 5. The type of material handling may be a possible source.
- C. Why should a miner care about silicosis.
 - 1. We are the largest group exposed to silica on the job.
- 7. There is no cure for silicosis3. 100% preventable
- D. What jobs have the highest silica exposure risk.
 - 1. Highwall drill operators and helpers
 - 2. Equipment operators
 - 3. Crusher operators
 - 4. Underground drillers and roof bolters.
 - 5. Clean up personnel and plant maintenance personnel.
- E. Why and how can you reduce the risk.
 - 1. Employee
 - a. Assessment of the exposure
 - b. Proper personal protective devices
 - c. Hygiene
 - Operator
 - a. Installation and maintenance of ventilation systems
 - b. Engineering controls
 - c. Adjust work procedures
 - 3. MSHA
 - a. MSHA/NIOSH medical screenings in selected areas
 - b. Special emphasis programs on silicosis prevention.
 - र्हें c. Public awareness campaigns to eliminate silicosis.
 - d. Sampling and enforcement.
- F. Controlling the exposure
 - 1. Find the source
- 24 2. Reduce the concentration

_tp://www.dolir.mo.gov/ls/minesafety/silicosis.hami



(Pg.15)

Page 3 of 4

RECEIVED MAR 23 2006

Wissouri Department of Labor and Industrial Relations

- -X 3. Reduce the time factor
 - 4. Explore alternative processes
 - 5. Use respiratory protection
 - 6. Medical surveillance

G. Silicosis Prevention Safe Work Practices

- 1. Sampling is the most important component of a prevention program.
- 2. Use dust controlling devices
 - a. Water sprays
 - b. Detergent kits
- 3. Do not operate dust generating equipment unless controls are in place.
 - 4. Keep floors and work areas free of dust
 - a. Where possible vacuum instead of sweeping.
 - b. Use wetting agents.
- 5. Avoidance of dusty areas when possible
 - # a. If not use respirator.
 - 6. Pay attention to warning signs, barricades and restricted areas.
 - Maintain a complete respirator program
 Ensure proper fit testing of respirators.

 - 9. Site and equipment preparation
 - a. Wetting of the road
 - b. Wetting of the face or highwall
 - c. Maintain vehicle cab integrity.
 - d. Repair faulty equipment, windows, seals and air conditioners.
- 日. Your rights as a miner.
 - 1. You have the right to complain about work conditions
 - a. Section 103.(g) of the Mine Act; 30 CFR Part 43
 - 2. Right to participate in an inspection.
 - a. Section 103(f) of the Mine Act: 30 CFR Fart 40
 - 3. Right of Workers to contest citations
 - a. Section 105(d) of the Mine Act
 - 4. Whistle Blower Protections
 - a. Section 195(c) of the Mine Act: 29 CFR 2700 (Subpart E)
- I. Symptoms of Silicosis
 - 1. Shortness of breath
 - 2. Severe cough
 - 3. Fatigue
 - 4. Loss of appetite
 - 5. Chest pains
 - 6. Fever
- 7. These symptoms are the same as many other illnesses
 8. You must pay attention to your possibilities of exposure.
 - 9. Get a silicosis medical screening if the symptoms are prolonged.
- 3. How can a miner determine if he or she has silicosis.
 - 1. Work History
 - a. Were you exposed
 - 2. Checkup to determine the early signs of lung disease
 - 3. Chest x-ray

...e:

- 4. Pulmonary function test
- 5. Tuberculosis evaluation

th class will be tailored to be mine specific and this time will fluctuate depending on class participation.

There are three types of silicosis:

Chronic silicosis (Long-term exposure to low amounts of silica)

Accelerated silicosis (Short-term exposure to high amounts of silica)

o Acute silicosis (Short-term exposure to extremely high amounts pilica)

Contact Information

Phone Number: (573) 751-3403

Email:laborstandards@dolir.mo.gov

Missouri Division of Labor Standards Home Page

Missouri Department of Labor and Industrial Relations Home Page

Missouri State Government Home Page

Privacy Policy Disclaimer

** Last updated: 1/28/2005

**SENATOR, KEVIN ENGLER: 573-751-3455

PAX-573-522-9318 OR 573-756-2520

STATE CAPITOL BLOG. RM. 428 Jefferson City, MO L. 5101

* CONGRESSMAN, RUSS CARNAHAN: 573-751-4567 FAX-573-751-2769 EMAIL-russ, carnahanehouse.mo.gov

GOVERNOR MATT BLUNT: 573-751-3222/573-751-1565
WEB: WWW: gov. MO. gov. (UNDER OFFICE OF GOVENOR)
Office of the GOVERNOR
RM. 216, STATECAPITOL BLAG.
JEHERSON City, NO 65109

TODD RANEY, MONR - AIR POLLUTION CONTROL. 2155 N. WESTWOOD BLVD., POPLAR BLUFF, MO 63901 (573)840-9750 FAX: (573)840-9754

ARTHUR GOODIN, MONR-ENVIRONMENTAL SPECIALIST I SAME AS ABOVE

> arthur.goodinednr.mo.gov DIRECTOR, LAND RECLAMATION PROGRAM

DEPT. NATURAL RESOURCES

P.O. BOX 176

Jefferson City, MO 65102



Material Safety Data Sheet

Omya California: Untreated

5-msds USLU_M01

2 page: 1/3 version: valid: 9/20/2005

SECTION 1 – PRODUCT IDENTIFICATION AND USE

Product: Calcium Carbonate (Limestone) Product Uses: Mineral filler and pigment Chemical Formula: Primarily CaCO₃

Trade Names: OMYACARB 2 - LU OMYACARB® 3 - LU OMYACARB® 8 - LU OMYACARB® 10 - LU OMYACARB[®] 40 - LU OMYACARB® BP - LU OMYACARB THP OMYACARB® MP 200

OMYACARB® 4 - LU

OMYACARB® 15 - LU

OMYACARB® CP - LU

TITAN® 200 - LU

Producer: Omya California Inc.

Address: 7299 Crystal Creek Road, Luceme Valley, California, USA 92356

Telephone: (760) 248-5200

Emergency: (800) 424-9300 (CHEMTREC)

SECTION 2 - HAZARDOUS INGREDIENTS

Ingredients:

Wt. % (typical): > 99

CAS #:

Exposure Limits (TWA) mg/m3:

Limestone (calcium carbonate)

1317-65-3

ACGIH TLV: Total dust, 10 (<1% silica)

OSHA PEL: Total dust, 15

Respirable dust, 5

Silica, quartz (naturally-occurring component of limestone)

< 0.3

14808-60-7

ACGIH TLV:

Respirable dust, 0.05

OSHA PEL: Total dust, 30 / % silica + 2

Respirable dust, 10 / % silica + 2

Hazardous Materials Identification System:

(National Paint & Coatings Association)

Category Health

Rating 1*

Flammability Physical Hazard

0 0

SECTION 3 - PHYSICAL CHARACTERISTICS

Appearance and Odor: White powder, no odor.

Density: 2.7 g/ml

Solubility in Water: 1.3 mg/100 g @ 18°C

SECTION 4 - FIRE AND EXPLOSION DATA

Flash Point: Non-flammable.

Special Fire Fighting Procedures: None. Unusual Fire and Explosion Hazards: None.



Material Safety Data Sheet

Omya California: Untreated

5-msds USLU_M01

version: 2 page: 2 / 3 valid: 9/20/2005

SECTION 5 - REACTIVITY DATA

Stability: Stable.

Reactivity in Water: None.

Hazardous Polymerization: Will not occur.

Hazardous Decomposition Products: Thermal decomposition can produce calcium oxide and carbon dioxide.

Incompatibility (Material to Avoid): Reacts with acids to liberate carbon dioxide. Ignites on contact with fluorine. Also incompatible

with alum and ammonium salts.

SECTION 6 - TOXICOLOGICAL PROPERTIES AND HEALTH HAZARD DATA

EFFECTS AND HAZARDS OF ACUTE EXPOSURE:

Inhalation: Dust may irritate the respiratory tract. Symptoms include sneezing and slight nose irritation.

Eye Contact: Irritation. Symptoms include watering and irritation.

Skin Contact: Repeated or prolonged exposure may have a drying effect on the skin, and may also cause imitation.

Ingestion: Ingestion of very large quantities may result in intestinal obstruction and/or constipation.

EFFECTS AND HAZARDS OF CHRONIC EXPOSURE:

There are no reported health effects associated with repeated or prolonged exposure to pure calcium carbonate. Chronic exposure to limestone dust at concentrations exceeding occupational exposure limits may cause pneumoconiosis (lung disease). This product contains crystalline silica (quartz) as an impurity. Chronic exposure to crystalline silica dust at concentrations exceeding occupational exposure limits may cause silicosis. The NTP's Ninth Report on Carcinogens lists crystalline silica (respirable size) as a known human carcinogen. IARC concluded that there is sufficient evidence in humans for the carcinogenicity of inhaled (respirable) crystalline silica.



(Pg. 19)



Carcinogens Listed in the Eleventh Report

Part A. Known to be Human Carcinogens.	HECLAMATION LAND	
Name or synonym	RECLAMATION COMMISSION	Page No.
Afiatoxins	*	3
A'caholic Beverage Consumption		:0
4-Aminobiphenyl		13
Analgesic Mixtures Containing Phenacetin (See Phenacetin and Analgesic Mixtures Containing Phenacetin)		212
Arsenic Compounds, Inorganic		18
Ashestos		2
Azathioprine		25
Benzene		26
Benzidine (See Benzidine and Dyes Metabolized to Benzidine)		28
Beryllium and Beryllium Compounds		32
1,3-Butadiene		37
1.4-Butanediol Dimethanesulfonate (Myleran [®])		39
Cadmium and Cadmium Compounds		42
Ch!orambuc ¹		47
i-(2-Chloroethy!)-3-(4-methylcyclohexyl)-1-nitrosourea (MeCCNU)		53
bis(Chloromethyl) Ether and Technical-Grade Chloromethyl Methyl Ether		56
Chromium Hexavalent Compounds		63
Coal Tar Pitches (See Coal Tars and Coal Tar Pitches)		68
Coal Tars (See Coal Tars and Coal Tar Pitches)		68
Coke Oven Emissions		71
Cyclophosphamide		74
Cyclosporin A		7 5
Diethylstilbestrol		98
Dyes Metabolized to Benzidine (See Benzidine and Dyes Metabolized to Benzidine)		29
Environmental Tobacco Smoke (See Tobacco Related Exposures)		25*
Erionite		117
Estrogens, Steroidal		115
Ethylene Oxide		118
Hepatitis B Virus		131
Hepatitis C Virus		133
Human Papillomas Viruses: Some Genital-Mucosal Types		142
Melphalan		164
Methoxsalen with Ultraviolet A Therapy (PUVA)		165
Mineral Oils (Untreated and Mi'dly Treated)		174
Mustard Gas		176
2-Naphthylamine		779
Neutrons (See Ionizing Radiation)		150
Nickel Compounds (See Nickel Compounds and Metallic Nickel)		187
Radon (See lonizing Radiation)		152
Silica, Crystalline (Respirable Size)		231
Smoke!ess Tobacco (See Tobacco Related Exposures)		253
Solar Radiation (See Ultraviolet Radiation Related Exposures)		266
Soots		233
Strong Inorganic Acid Mists Containing Sulfuric Acid		234
Sunlamps or Sunbeds, Exposure to (See U'traviolet Radiation Related Exposures)		265
Tamoxiten		239
2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD); "Dioxin"		241
Thiotepa		249
Thorium Dioxide (See Ionizing Radiation)		154
Tobacco Smoking (See Tobacco Related Exposures)		255
Vinyl Chloride		272
Ultraviolet Radiation, Broad Spectrum UV Radiation (See Ultraviolet Radiation Related Exposures)		266
Wood Dust		276
X-Radiation and Gamma Radiation (See Ionizing Radiation)		147

Bold entries indicate new or changed listing in The Report on Carcinogens, Eleventh Edition.

Silica, Crystalline (Respirable Size)

Known to be a human carcinogen
First Listed in the Sixth Annual Report on Carcinogens (1991)

Carcinogenicity

Respirable crystalline silica, primarily quartz dusts occurring in industrial and occupational settings, is lemms to be a lemma carcinogen, based on sufficient evidence of carcinogenicity from studies in humans indicating a causal relationship between exposure to respirable crystalline silica and increased lung cancer rates in welless exposed to crystalline silica dust. Respirable crystalline silica was first listed in the Sixth Annual Report on Carcinogens in 1991 as reasonably anticipated to be a human carcinogen based on evidence of carcinogenicity in experimental animals, however, the listing was revised to known to be a human carcinogen in the Ninth Report on Carcinogens in 2000.

Hazardous human exposure to respirable crystalline silica, primarily quartz classs, occurs mainly in industrial and occupational settings (discussed in "Exposure"). The link between human lung cancer and exposure to respirable crystalline silica was successed in studies of quarry and granize workers and workers involved in ceramic, pomery, refrectory brick, and distromaceous earth industries. Human cancer risks are associated with exposure to respirable quartz and cristohaline but not to anostphous silica. The overall relative risk is approximately 1.3 to 1.5, with higher risks found in groups with greater exposure or longer latency. Silicosis, a madeer for exposure to silica dust, is associated with elevated lung cancer rates, with relative risks of 2.0 to 4.0. Fleward risks have been seen in studies that accommed for smoking or asbestos exposure, and confounding is unfilledy to explain these results (IARC 1997).

The findings in humans are supported by studies in experimental animals demonstrating consistent increases in lung cancers in rats chronically exposed to respirable crystalline silica by inhabition or intratacheal instillation. No lung tumors were observed in hansters exposed to quartz by intratracheal instillation. Single intrapleural or intraperitoneal injections of various forms of respirable crystalline silica caused lymphomas in rats (IARC 1997).

Additional Information Relevant to Carcinogenicity

Respirable crystalline silica deposited in the lungs causes epithelial injury and macrophage activation, leading to inflammatory responses and cell profiferation of the epithelial and intersticial cells. In humans, respirable crystalline silica persists in the lungs, culminating in the development of chronic silicosis, emphysems, obstructive sirvery disease, and lymph node fibrasis. Respirable crystalline silica stimulates (1) release of cytokines and growth factors from macrophages and epithelial cells; (2) release of reactive oxygen and nitrogen intermediates; and (3) oxidative stress in hungs. All these pathways contribute to lung disease. Marked and pensistent inflammation, specifically inflammatory cell-derived oxidants, may provide a mechanism by which respirable crystalline silica exposure can result in genomic effects in the lung parenchyma. In a human study, subjects exposed to respirable crystalline silica had increases in sister chromatid exchange and chromosomal aberrations in peripheral blood lymphocytes. Most cellular genomicity studies with quantz samples were negative; however, in vitro exposure to some quanz samples induced microauclei or cell transformation in several cell types, including Syrian hamster embryo cells, Chinese hamster hung cells, and human embryonic lung cells (IARC 1997).

Properties

Silica, a group IV metal oxide, exists as colorless or white trigonal crystals. The molecular weight of silica (silicon dioxide) is 60.1. It occurs naturally in crystalline and amorphous forms, and the specific

gravity and melting point depend on the crystalline for the Dasic structural units of the silica mineral are silicon terrahedra (StO₁). Slight variations in the orientation of the silical petrahedra result in the different polymorphs of silica; crystalline silica seven polymorphs. In crystalline silica, silicon and oxygen shares are arranged in definite regular patterns throughout (Panneggiani 1963).

Quartz, cristobalite, and tridymite are the three most common crystalline founs of fire silica. Quartz is by far the most common; it is found abundantly in most rock types, including granites and quarties, and in sands and soils. Cristobalite and tridymite are found in volcanic rocks. All three founs are interrelated and may change their form under different temperature and pressure conditions. The quartz structure is more compact than that of midymite or cristobalite (IARC 1987, 1997). Quartz melts to a glass, and its coefficient of engancion by heat is the lowest of any known substance. Silica is practically insoluble in water at 20°C and in most acids; but its solubility increases with temperature and pH, and is affected by the presence of trace meals. The rate of solubility also is affected by particle size, and the external amorphous layer in quartz is more soluble than the crystalline underlying core. Silica dissolves readily in hydrofluoric acid producing silicon tenafheoride gas (Merck 1989, IARC 1997).

Exposure

Crystalline silica is an abundant and commonly found natural material. Human exposure to respirable crystalline silica, primarily quante dusts, occurs mainly in industrial and occupational senings. Respirable quante levels exceeding 0.1 mg/m² are most inquently found in metal, nonmetal, and one mines and mills; in granite quantying and processing in cushed stone and related industries; in foundaies, in the ceramics industry; in construction; and in sandblasting operations (IARC 1997). The National Occupational Exposure Survey (NOES), conducted by NIOSH from 1981 to 1983, estimated that 944,731 and workers, including 112,888 females, were occupationally exposed to quante and 31,369 total workers, including 2,228 female workers, were exposed to cissobalite. NIOSH: National Occupational Hazard Survey (NOHS), conducted from 1972 to 1974, estimated that 81,221 workers were exposed to quantz (NIOSH 2003). NIOSH (2002) estimated that 522,748 endees in nonmining industries and 722,708 workers in mining industries were potentially exposed to respirable crystalline silica in 1986.

Potential exposure to respirable crystalline silica has been studied in metal and nonmeral mining and milling operations. Workers in sandstone, clay, and shele, and in miscellaneous nonmetallic mineral mills had the highest exposures to silica dust. Within the mills, the workers with the highest exposures were the baggers, general laborers, and personnel involved in the conshing, grinding, and sizing operations. Granite and stone industry and construction personnel also are potentially exposed to asspirable crystalline silica. Sculptors and carvers, stencil cutters, polishers, and sandblasters had the highest potential exposures; the silica content of respirable dust ranged from 4.8% to 12.2%. Respirable crystalline silica exposures in clay pipe factories ranged from 0.01 to 0.20 mg/m², 10% of 348 samples collected from glass manufacturing industries had silica concentrations at least two times the pennissible exposure standards; 23% to 26% of samples from clay products and powery industries had concentrations more than raice the exposure limits; one-third of dust samples from fibrous glass plants had concentrations of respirable crystalline silica in excess of 0.10 mg/ss²; levels of respitable crystalline silica in a ceramic electronic equipment pasts plant ranged from 0 to 0.18 mg/m²; and 23% of samples collected in iron and seed foundries had concentrations in excess of 0.20 mg/m³ respirable crystalline silica (IARC 1987). Occupational exposure to crismbolite may occur in industries where silica products are heared, including refractory brick and distornaceous earth plants and ceramic and pottery manufacturing plants (IARC 1997).

Nonoccopational exposure to respirable crystalline silica results from natural processes and anthropogenic sources; silica is a common air contaminant. Residents near quantics and sand and gravel operations are potentially exposed to respirable crystalline silica. A major source of cristobalite and tridymite in the United States is volcanic rock in California and Colorado (NIOSH 1986). Local conditions, especially in

>**

REPORT ON CARCINOGENS, ELEVENTH EDITION

02/24/2006

16:16

SLU PULMONARY > 573 483 2656

RECEIVAMAR 23 2006

RECLAMISSOURI LAND
COMMISSION

NO.370 DE

1: Clin Chest Med. 2002 Dec;23(4):811-26.

Related Articles, Links

Update on respiratory disease from coal mine and silica dust.

Cohen R, Velho V.

Rush University Medical College, Division of Occupational Medicine and Pulmonary Medicine/Critical Care, Cook County Hospital, Chicago, IL, USA. bobcohen@uic.edu

Coal mine and silica dust cause significant respiratory disease in spite of modern dust control regulations. Susceptible individuals in exposed populations may develop fibrosing lung disease, obstructive airways disease, including chronic bronchitis and emphysema, or lung cancer. A careful occupational history that elicits exposure to respiratory hazards is the cornerstone of an accurate diagnosis. Treatment involves removal from exposure, supportive care, pulmonary rehabilitation, and when disabling disease is present, assistance obtaining compensation.

Publication Types:


Review

PMID: 12512167 [PubMed - indexed for MEDLINE]





During 1968-2002, the age-adjusted silicosis mortality rate was elevated in several counties in western states (Arizona, California, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Washington), eastern states (Georgia, Kentucky, New York, North Carolina, Maine, Ohio, Pennsylvania, Tennessee, Vermont, Virginia, and West Virginia), and central states (Illinois, Kansas, Michigan, Minnesota, Missouri, Oklahoma, South Dakota, Vermont, and Wisconsin). San Juan County, Colorado, had the highest age-adjusted mortality rate (524 per million persons aged ≥15 years) (Figure 2).



For usual industry and occupation codes, a total of 1,400 silicosis deaths were reported in the 26 states for one or more selected years during 1985-1999. Metal mining had the highest PMR (39.2; CI = 32.9-46.8) among industries (<u>Table</u>). Among occupations, miscellaneous metal and plastic-processing machine operator had the highest PMR (90.1; CI = 51.5-146.3).

Reported by: KM Bang, PhD, JM Mazurek, MD, MD Attfield, PhD, Div of Respiratory Disease Studies, National Institute for Occupational Safety and Health, CDC.

- * ICD-8 code 515 (1968-1978), ICD-9 code 502 (1979-1998), and ICD-10 code J62 (1999-2002).[3]
- [†]Alaska, Colorado, Georgia, Hawaii, Idaho, Indiana, Kansas, Kentucky, Maine, Missouri, Nebraska, Nevada, New Hampshire, New Jersey, New Mexico, North Carolina, Ohio, Oklahoma, Rhode Island, South Carolina, Tennessee, Utah, Vermont, Washington, West Virginia, and Wisconsin.
- [§]Defined as the observed number of deaths from silicosis in a specified occupation or industry divided by the expected number of silicosis deaths. The expected number of deaths was calculated by using the total number of deaths in the Bureau of Census Industry Code or Census Occupation Code of interest multiplied by a proportion defined as the number of cause-specific deaths for the condition of interest in all industries/occupations, divided by the total number of deaths in all industries/occupations.

Workers Health Centre

What is silica dust?

Silica is the main component in sand and in rocks like sandstone and granite. Many workplates aware that common building products such as clay bricks, concrete, tiles and fibro aware that common building products such as clay bricks, concrete, tiles and fibro are the usually created when such building products are silicated. Silica is the main component in sand and in rocks use same same are not aware that common building products such as clay bricks, concrete, tiles and rive cement products contain silica. Silica dust is usually created when such building products sandstone or rocks are cut, drilled or worked on in a way that creates fine particles of silica in this crystalline form of silica that causes silicosis.

Who is affected?

Silicosis is not a naturally occurring disease. Its development is directly associated with workplace exposure to silica dust. Workers who are most at risk include those engaged in tunneling and excavation work, road building, demolition work and explosive blasting work, as well as those in slate, granite cutting and glass manufacturing industries, brickmaking and some manufacturing processes.

Health effects of silica dust

Initial exposure to silica dust will cause irritation of the eyes, nose and throat like most other dusts. However, if excessive amounts of silica dust are breathed into the lungs over a period of time, it can cause damage to the lung tissue. Other than some breathlessness during exercise, the disease can remain free of symptoms for 10-20 years after exposure.

The most common form of silicosis develops after long exposure to relatively low concentrations. Once the disease has begun, it will continue to progress even if the worker is removed from further exposure. There is no medical treatment for silicosis. People with silicosis are also at greater risk of developing lung cancer. In 1996 the International Agency for Research on Cancer classified crystalline silica dust as a human carcinogen (Group 1).


The size of the silica particles is important in causing the disease. Larger particles are usually prevented from reaching the lung's small air sacs, it is the smaller particles (less than five thousandths of a millimetre) that are the most dangerous.

The development of silicosis depends on a number of factors including:

- the amount and kind of dust inhaled
- the percentage of free silica in the dust
- the form of silica
- the size of the silica particles
- the duration of exposure
- the individual's natural body resistance
- the presence or absence of complicating factors (such as infection).


Terms of Use | Privacy Statement | Sponsored By WUSGS







Home | Advanced Find | Famous |



http://terraserver-usa.com/image.aspx?T=1&S=10&Z=15&X=3710&Y=21066&W=1&qs=... 3/9/2006

© 2005 Microsoft Corporation. Server=TK2TERRAWEB23